

Page: 1 of 6

Product Name TRIGONOX K-90

Classified as hazardous according to criteria of NOHSC.

#### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name TRIGONOX K-90

**Product Code** 4912056

Company Name IMCD Australia Limited (ABN 44 000 005 578)

Address 1st Floor, 372 Wellington Road Mulgrave

Victoria 3170 Australia

**Emergency Tel.** 1800 625 526

Telephone/Fax Tel: (03)8544 3100 (Business hours)

Number Fax: (03)8544 3299
Email reg@imcd.com.au

Recommended Use Polymerisation initiator.

Additional It is the user's responsibility to determine the suitability of this product

Information for their applications and their methods of use.

#### 2. HAZARDS IDENTIFICATION

Hazard Classified as hazardous according to criteria of NOHSC.

Classified as Hazardous according to the criteria of the New Zealand HSNO Act

ERMA Number: HSR100055

Haz Classes: 5.2F, 6.1C(inhalation), 6.1D(ingestion, contact),

6.9A(inhalation, ingestion), 8.2B, 8.3A, 9.1B

Group Standard: ORGANIC PEROXIDES, TOXIC [6.1], CORROSIVE Classified as hazardous according to criteria of NOHSC.

R21/22 Harmful in contact with skin and if swallowed.

R23 Toxic by inhalation.

R34 Causes burns.

R48/20/22 Harmful: danger of serious damage to health by prolonged exposure

through inhalation and if swallowed.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment. R7 May cause fire.

 $Safety\ Phrase(s)$  S1/2 Keep locked up and out of reach of children.

S14 Keep away from

S3/7 Keep container tightly closed in a cool place.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection. S45 In case of accident or if you feel unwell seek medical advice immediately S61 Avoid release to the environment. Refer to special instructions/safety

data sheet.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Composition, Cumyl hydroperoxide, 90% solution in aromatic solvent mixture.

information on ingredients

Risk Phrase(s)

Chemical Liquid

Characterization

Ingredients Name CAS Proportion Hazard Symbol Risk Phrase

CUMENE HYDROPEROXIDE 80-15-9 87-90 % Benzenemethanol, alpha, 617-94-7 5-10 % alpha.-dimethyl-

 Cumene
 98-82-8
 1-5 %

 Acetophenone
 98-86-2
 1-2 %

Substance Chemical Peroxides.

Family

#### 4. FIRST AID MEASURES

First Aid Measures Call a physician immediately.

**Inhalation** Get medical attention immediately by calling a physician or a poison control

centre. Remove to fresh air. If not breathing, give artificial respiration. Oxygen may additionally be given, by trained personnel, if it is available.



infosafe Page: 2 of CS: 1.6.19

Infosafe No™ IMCNP ISSUED by IMCDAST Issue Date : July 2012

Product Name TRIGONOX K-90

Classified as hazardous according to criteria of NOHSC.

Do not induce vomiting. Get medical attention immediately by calling a Ingestion

physician or a poison control centre. If victim is conscious and alert, give a cupful of water. Never give anything by mouth to an unconscious or convulsing person. If vomiting occurs, the patient should lie on their left

side while vomiting to reduce the risk of aspiration.

Immediately flush skin with plenty of water while removing contaminated clothing. Get medical attention if symptoms occur. Wash clothing before

Thoroughly clean or destroy contaminated shoes.

Immediately start continuous flushing of eyes with water for at least 15 Eye

minutes. If easy to do, contact lenses should be removed during the flushing by trained personnel. Hold the eyelids apart during the flushing to ensure rinsing the entire surface of the eye and lids with water. Get medical

attention immediately.

Persons with pre-existing skin, respiratory and/or central nervous system Advice to Doctor

disease may be at increased risk if exposed to this material. THis material is severely corrosive to the eyes and may cause delayed

keratitis. The normally prescribed 15 minute eye irrigation after exposure may be difficult because of the severe pain. The prior installation of a topical ocular anesthetic is essential to facilitate a comprehensive ocular lavage. If swallowed, do not induce vomiting. Give patient plenty of water to drink. Ingestion of this corrosive material may result in severe ulceration, inflammation and possible perforation of the upper alimentary tract, with

hemorrhage and fluid loss. Aspiration of this material during induced emesis can result in severe lung injury. Contact a poison control centre for

additional treatment information. Treat any additional effects

symptomatically.

Harmful in contact with skin and if swallowed. Toxic by inhalation. causes Symptoms and Effects

burns. Risk of serious damage to eyes. Harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed. Causes

injury to the cornea and eyelids. Risk of serious damage to eyes.

### 5. FIRE FIGHTING MEASURES

Fire Fighting Measures

Evacuate all non-essential personnel. Extinguish a small fire with powder or carbon dioxide then apply water to prevent re-ignition. Cool closed containers with water. Water used to extinguish a fire should not be allowed to enter the drainage system or water courses. After a fire , ventilate thoroughly the area and soak with water, clean the wall and metallic surfaces. Waterspray, alcohol resistant foam, sand, dry chemical powder, CO2.

Suitable

Skin

**Extinguishing Media** 

Hazards from Combustion

Hazardous decomposition/combustion products: CO2, carbon monoxide,

acetophenone, 2-phenylisopropanol, methane.

**Products** 

**Special Protective Equipment for fire** fighters

Fire fighters must wear fire resistant protective equipment. Wear approved respirator and protective gloves.

**Specific Hazards** 

CAUTION: reignition may occur. Decomposition under effect of heating. If involved in a fire, it will support combustion. In case of fire and/or

explosion do not breathe fumes. Halons.

Unsuitable

**Extinguishing Media** 

#### 6. ACCIDENTAL RELEASE MEASURES

Stop leakage if possible. Eliminate all sources of ignition and do not Spills & Disposal

generate flames or sparks. Transfer remaining product from leaking containers to a clean and suitable container. Cover the remainder with inert absorbent (e.g. vermiculite) for disposal. Keep contents moist. The  $\mbox{\it w}$  be confined. Flush surroundings with large amounts of water. The waste should NOT

Use self-contained breathing apparatus. Avoid contact with skin and eyes. **Personal Precautions** 

For personal protection, see section 8.

Evacuate personnel to safe area.

**Environmental Precautions** 

Do not allow to enter drains or water courses.

CAUTION: reignition may occur. Vapours are heavier than air and may spread Other Information along floors. Vapours may travel to a source of ignition and flash back.



infosafe Page: 3 of CS: 1.6.19

Infosafe No™ IMCNP ISSUED by IMCDAST Issue Date : July 2012

Product Name TRIGONOX K-90

Classified as hazardous according to criteria of NOHSC.

#### 7. HANDLING AND STORAGE

**Precautions for Safe** Handling

Never weigh out in the storage room. When using, do not eat, drink or smoke. Do not pipette by mouth. Do not breathe fumes/vapour. Handle in well ventilated areas. Apply effective local ventilation. Eliminate all sources of ignition and do not generate flames or sparks. Keep away from reducing agents (e.g amines), acids, alkalies and heavy metal compounds (e.g.

accelerators, driers, metal soaps). Keep product and emptied containers away Confinement must be avoided. Avoid from heat and sources of ignition. Avoid incompatible materials (See Section 10). contact with skin and eyes.

**Conditions for Safe** 

Storage

Store in accordance with local/national regulations. Keep away from food, Store in a dry well ventilated place away from sources drink and animal feed. of heat and direct sunlight. Store separately from other chemicals. only in the original container. Keep container upright to prevent leakage. Avoid temperatures below -30°C. If product freezes or separates, contact

Storage

supplier. **Temperatures** 

Additional information on precautions for use For maximum quality, store below: 40°C Fire and explosion prevention: Use explosion protected equipment. Keep away from sources of ignition - No smoking. Vapours are heavier than air and may

spread slong floors. Use non-sparking tools in areas where explosive vapour/air mixtures may occur. Do not cut or weld on or near this container

wven when empty.

**Other Information** 

It is recommended to use electrical equipment of temperature group T3. However, autoignition can never be exlcuded. Wash hands thoroughly after handling or contact. Keep working clothing separately and do not take them

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Controls, Personal Protection**  The following Australian and New Zealand Standards will provide general advice

regarding safety clothing and equipment:

Respiratory equipment: AS/NZS 1715, Protective Gloves: AS 2161, Industrial Clothing: AS2919, Industrial Eye Protection: AS1336 and AS/NZS 1337,

Occupational Protective Footwear: AS/NZS2210.

**National Exposure** 

Name

TWA

Standards

mg/m3ppm mg/m3ppm Footnote 75 375 125 25 Cumene

**Engineering** 

Ensure good ventilation and local exhaustion of the working area. proof ventilation recommended.

Controls Respiratory

Do not breathe vapour.

**Protection** 

In case of insufficient ventilation, wear suitable respiratory equipment.

**Eye Protection** 

Wear eye/face protection.

**Hand Protection** 

Wear suitable protective gloves of neoprene or synthetic rubber.

**Body Protection** 

Wear suitable protective clothing.

Other Information

Emergency shower and facilities for rinsing eyes must be accessible. Launder

clothes before reuse.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Liquid Form

Clear, colourless. **Appearance** 

Pungent. Odour -30°C **Freezing Point** 

**Boiling Point** Decomposes before boiling.

Solubility in Water Miscible at 20°C 1.03-1.07 at 20°C **Specific Gravity** Slightly acidic. pH Value 0.4 kPa at 20°C Vapour Pressure



infosafe Page: 4 of CS: 1.6.19

ISSUED by IMCDAST Infosafe No™ IMCNP Issue Date : July 2012

Product Name TRIGONOX K-90

Classified as hazardous according to criteria of NOHSC.

Coefficient No data.

Water/Oil Distr.

10.9 mPa.s at 20°C Viscosity **Volatile Component** Not determined.

**Flash Point** Above the SADT value. The SADT is 70°C

**Auto-Ignition** 

No data.

**Temperature** 

No data. Flammable Limits -

Lower

No data. Flammable Limits -

Upper

Peroxide content: 86 - 90% **Other Information** 

Active oxygen content: 9.1 - 9.5%

#### 10. STABILITY AND REACTIVITY

Stability and Reactivity

SADT - (Self accelerating decomposition temperature) is the lowest temperature at which self accelerating decomposition may occur with a substance in the packaging as used in transport. A dangerous self-accelerating decomposition reaction and, under certain circumstances, explosion or fire can be caused by thermal decomposition at and above the following temperature: 70°C. Contact with incompatible substances can cause decomposition at or below the SADT. Avoid temperatures below -30°C. To maintain quality store in original closed

**Conditions to Avoid** 

container below 40°C. A high degree of confinement must be avoided.

Incompatible Materials

Avoid contact with rust, iron and copper. Contact with incompatible materials such as acids, alkalies, heavy metals and reducing agents will result in hazardous decomposition. Do not mix with peroxide accelerators. Use only stainless steel 316, PP, polyethylene or glass-lined equipment.

Hazardous Acetophenone, 2-phenylisopropanol, methane.

**Decomposition** 

**Products** 

Polymerisation does not occur. Hazardous

**Polymerization** 

Other Information Emergency procedures will vary depending on conditions. The customer must have

an emergency response plan in place.

#### 11. TOXICOLOGICAL INFORMATION

No experimental toxicological data of the product as such available. Toxicology

following data are applicable to the ingredient(s) listed below: Information

Cumyl hydroperoxide: Ames Test - not mutagenic. Mutagenicity

Cumyl hydroperoxide: LD50, rat: 382mg/kg **Acute Toxicity - Oral** 

2-phenylisopropanol: LD50, rat: 1300 mg/kg

Cumene: LD50, rat: 2910 mg/kg Cumene: LD50, rabbit: 12300 mg/kg

Acute Toxicity -**Dermal** 

Acute Toxicity -

Cumyl hydroperoxide: LC50, rat, 4h: 220 ppm

Cumene: LC50, mouse: 2000 ppm Inhalation

Cumyl hydroperoxide: Severely irritating. **Eye Irritation** 

2-phenylisopropanol: Irritating to eyes. Cumene: LD50, rat: Mildly irritating.

**Skin Irritation** Cumyl hydroperoxide: Severely irritating. 2-phenylisopropanol: Irritating to skin.

Cumene: LD50, rat: Mildly irritating. Cumyl hydroperoxide: Not sensitising. Skin Sensitisation

#### 12. ECOLOGICAL INFORMATION

**Ecological** Information No experimental ecological data are available on the preparation as such. The

following data are applicable to the ingredient(s) listed below:

Cumyl hydroperoxide: Degradation Biotic - Not readily biodegradable (closed **Environmental Fate** 

bottle test).

Cumene: Degradation Biotic - Readily biodegradable.



infosafe Page: 5 of CS: 1.6.19

Infosafe No™ IMCNP ISSUED by IMCDAST Issue Date : July 2012

Product Name TRIGONOX K-90

Classified as hazardous according to criteria of NOHSC.

Bioaccumulative

Cumene: Bioconcentration Factor (BCF) = 35.5

**Potential** 

**Acute Toxicity - Fish** 

Cumyl hydroperoxide: LC50, Onchorhynchus mykiss, 96h: 3.9mg/l

Cumene: LC50, Pimephales promelas, 96h: 6.32 mg/l Cumene: Activated sludge respiration inhibition test EC50 = 17 mg/l

Acute Toxicity -**Bacteria** 

13. DISPOSAL CONSIDERATIONS

**Disposal** 

Dispose of waste according to applicable local, state and federal regulations.

Considerations

Due to the high risk of contamination recycling/recovery is not recommended. **Product Disposal** 

Waste disposal in accordance with regulations (most probably controlled

incineration).

According to local regulations. Emptied container might retain product **Container Disposal** 

residues. Follow all warnings even after the container is emptied. Do not

wash residues into drains or other waterways.

14. TRANSPORT INFORMATION

NZS 5433:2007 Transport of Dangerous Goods on Land & Dangerous Goods Rule **Transport** 

2005. Information 3109 U.N. Number

**Proper Shipping** 

ORGANIC PEROXIDE TYPE F, LIQUID - Cumyl hydroperoxide

**DG Class** 

Name

5.2 8 Sub.Risk

3.8.5.20P1-OP8 **Packaging Method** 

**Packing Group** TT **IERG Number** 

**Other Information** Dangerous Goods of Class 5.2 Organic Peroxides are incompatible in a placard

load with any of the following: - Class 1, Class 2, Class 3, Class 4,

5.1, Class 7, Class 8, Fire risk substances and combustible liquids.

Dangerous Goods of Class 8 Corrosives are incompatible in a placard load with any of the following: - Class 1, Class 4.3, Class 5, Class 6, if the Class 6 dangerous goods are cyanides and the Class 8 dangerous goods are acids and

Class 7.

15. REGULATORY INFORMATION

Regulatory Information All components of this material are listed on or exempt from the New Zealand

Inventory of Chemicals (NZIoC). Not Scheduled

**Poisons Schedule HSNO Approval** 

HSR002630

Number

0 - Oxidising **Symbol** 

T - Toxic Xn - Irritant C - Corrosive

 ${\tt N}$  - Dangerous for the environment

**Hazard Category** 

Toxic, Corrosive, Oxidising, Dangerous for the environment

AICS (Australia)

All components of this material are listed on or exempt from the Australian

Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Other Information

THIS MSDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS MSDS IN THE CONTEXT OF HOW THE PRODUCT

WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN

APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS



infosafe Page: 6 of CS: 1.6.19

Infosafe No™ IMCNP Issue Date : July 2012 ISSUED by IMCDAST

Product Name TRIGONOX K-90

Classified as hazardous according to criteria of NOHSC.

OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST. ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail, 7th Edition

AICS: Australian Inventory of Chemical Substances

ASCC: Office of the Australian Safety and Compensation Council

CAS number: Chemical Abstracts Service Registry Number

EPA: Environmental Protection Agency

Hazchem Code: Emergency action code of numbers and letters that provide

information to emergency services especially fire fighters

IARC: International Agency for Research on Cancer

NICNAS: National Industrial Notification & Assessment Scheme NIOSH: National Institute for Occupational Safety & Health

NOS: Not otherwise specified

NTP: National Toxicology Program (USA)

OEL: Occupational Exposure Limit

OSHA: Occupational Safety & Health Administration PBT: Persistent Bioaccumulative Toxic chemical

PMCC: Pensky Martens Closed Cup

R-Phrase: Risk Phrase

STEL: Short Term Exposure Limit

SUSMP: Standard for the Uniform Scheduling of Medicines & Poisons

TWA: Time Weighted Average UN Number: United Nations Number

vPvBL: Very Persistent and Very Bioaccumulative WEEL: Workplace Environmental Exposure Level

...End Of MSDS...

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.